

OFERTA PLICURI GPV ROMANIA

Plicuri cu deschidere latura lunga	Cod	Lipire	Hartie	g/mp	Fond	Fer.	Dim. fer	Poz. fer	Buc/cut	Buc/	Observatii
C7 (90 x 140 mm)	110202	gumata	Offset	70	Da	Nu			1000	110 000	
C6 (114 x 162 mm)	121303	siliconica	Offset	75	Da	Nu			1000	100 000	
	121101	autoadeziva	Offset	75	Da	Nu			1000	100 000	
	121201	gumata	Offset	75	Da	Nu			1000	100 000	Clapa V
	121204	gumata	Offset	75	Da	Nu			1000	100 000	Pentru inserare mecanica
	121206	gumata	Kraft	80	Nu	Nu			1000	100 000	Clapa V
DL (110 x 220 mm)	122303	siliconica	Offset	75	Da	Nu			1000	70 000	
	122101	autoadeziva	Offset	75	Da	Nu			1000	70 000	
	122204	gumata	Offset	75	Da	Nu			1000	70 000	
C6/C5 (114 x 229 mm)	123204	gumata	Offset	80	Da	Nu			1000	70 000	Pentru inserare mecanica
C5 (162 x 229 mm)	125303	siliconica	Offset	80	Da	Nu			500	60 000	
	125101	autoadeziva	Offset	80	Da	Nu			500	60 000	
	125202	gumata	Offset	80	Da	Nu			500	52 000	Pentru inserare mecanica
	125206	gumata	Kraft	80	Nu	Nu			500	52 000	Clapa V
C4 (229 x 324 mm)	2595	siliconica	Offset	90	Da	Nu			250	20 000	
	128208	gumata	Kraft	90	Nu	Nu			250	25 000	Clapa V

Plicuri cu deschidere pe latura scurta	Cod	Lipire	Hartie	g/mp	Fond	Fer.	Dim. fer	Poz. fer	Buc/cut	Buc/	Observatii
C5 (162 x 229 mm)	135303	siliconica	Offset	80	Da	Nu			500	52 000	
	135202	gumata	Offset	80	Da	Nu			500	60 000	
	100605	siliconica	Kraft	90	Nu	Nu			500	52 000	
B5 (175 x 250 mm)	136303	siliconica	Offset	80	Da	Nu			500	42 000	
	4253	siliconica	Kraft	90	Nu	Nu			500	42 000	
B5 +(190 x 260 mm)	181465	siliconica	Offset	90	Da	Nu			500	42 000	certificare FSC
	181464	siliconica	kraft	100	nu	Nu			500	42 000	

www.gpv.ro

Sediu: Piata 1 Mai nr. 4-5, Cluj Napoca, 400141

Tel.: 00 40 264.416.741, Fax: 00 40 264.406.455, office@gpv.ro

GPV România Prodcom Serv SRL, Nr. Reg. Com.: J12/1134/1996, RO 8578353

Banca: Unicredit Bank SA, IBAN: RO08BACX000000055279001;

Banca: ING Bank, IBAN: RO62INGB0003002173300716; capital social: 3.549.227,58 lei



The mark of responsible forestry

OFERTA PLICURI GPV ROMANIA

C4 (229 x 324 mm)	138303	siliconica	Offset	90	Da	Nu			250	22 500	
	138101	autoadeziv	Offset	90	Nu	Nu			250	21 250	
	138202	gumata	Offset	90	Nu	Nu			250	22 500	
	100604	siliconica	Kraft	90	Nu	Nu			250	22 500	
B4 (250 x 353 mm)	139309	siliconica	Offset	90	Da	Nu			250	20 000	
	106276	siliconica	Kraft	90	Nu	Nu			250	20 000	
E4 (280 x 400 mm)	140377	siliconica	Offset	100	Nu	Nu			250	10 500	
	160379	siliconica	Kraft	100	Nu	Nu			250	10 500	

Plicuri cu fereastră	Cod	Lipire	Hartie	g/mp	Fond	Fer.	Dim. fer	Poz. fer. mm	Buc/cut	Buc/	Observatii
C6 (114 x 162 mm)	121121	autoadeziva	Offset	75	Da	Da	35 x 90 mm	28 dreapta/ 20 jos	1000	100 000	
DL (110 x 220 mm)	122323	siliconica	Offset	75	Da	Da	35 x 90 mm	20 dreapta/ 20 jos	1000	70 000	
	122311	siliconica	Offset	75	Da	Da	35 x 90 mm	20 stanga/20 jos	1000	70 000	
	122343	siliconica	Offset	75	Da	Da	45 x 90 mm	20 dreapta/ 20 jos	1000	70 000	
	122353	siliconica	Offset	75	Da	Da	45 x 90 mm	20 stanga/20 jos	1000	70 000	
	122141	autoadeziva	Offset	75	Da	Da	45 x 90 mm	20 dreapta/ 20 jos	1000	70 000	
	122151	autoadeziva	Offset	75	Da	Da	45 x 90 mm	20 stanga/20 jos	1000	70 000	
C6/C5 (114 x 229 mm)	123224	gumata	Offset	80	Da	Da	35 x 90 mm	20 dreapta/ 30 jos	1000	70 000	Pentru inserare mecanica
	123214	gumata	Offset	80	Da	Da	35 x 90 mm	20 stanga/30 jos	1000	70 000	Pentru inserare mecanica
C5 (162 x 229 mm)	125381	siliconica	Offset	80	Da	Da	45 x 90 mm	20 dreapta/ 60 jos	500	60 000	
	125371	siliconica	Offset	80	Da	Da	45 x 90 mm	20 stanga/ 60 jos	500	60 000	
	125121	autoadeziva	Offset	80	Da	Da	35 x 90 mm	28 dreapta/ 20 jos	500	60 000	
C4 (229 x 324 mm)	138373	siliconica	Offset	90	Da	Da	50 x 100 mm	20 dreapta/ 52 sus	250	22 500	
	138343	siliconica	Offset	90	Da	Da	50 x 100 mm	20 stanga/ 52 sus	250	22 500	

Plicuri CD / DVD	Cod	Lipire	Hartie	g/mp	Fond	Fer.	Dim. fer	Poz. fer	Buc/cut	Buc/	Observatii
124 x 127 mm	154291	gumata	Offset	90	Nu	Da	110 mm	Centrata	1000	100 000	

Sediu: Piata 1 Mai nr. 4-5, Cluj Napoca, 400141

Tel.: 00 40 264.416.741, Fax: 00 40 264.406.455, office@gpv.ro

GPV România Prodcum Serv SRL, Nr. Reg. Com.: J12/1134/1996, RO 8578353

Banca: Unicredit Bank SA, IBAN: RO08BACX000000055279001;

Banca: ING Bank, IBAN: RO62INGB0003002173300716; capital social: 3.549.227,58 lei



The mark of responsible forestry

www.gpv.ro

OFERTA PLICURI GPV ROMANIA

Plicuri cu burduf	Cod	Lipire	Hartie	g/mp	Fond	Fer.	Dim. fer	Poz. Fer	Buc/cut	Buc/	Observatii
C5 (162 x 229 mm + 20 mm)	104916	siliconica	Kraft	120	Nu	Nu			250	19 000	
B5 (175 x 250 mm + 20 mm)	104926	siliconica	Kraft	120	Nu	Nu			250	16 000	
C4 (229 x 324 mm + 30 mm)	105936	siliconica	Kraft	120	Nu	Nu			250	10 500	
	4921	siliconica	Kraft verge	120	Nu	Nu			250	8 750	
	4938	siliconica	Offset	120	Nu	Nu			100	8 750	
C4 (229 x 324 mm + 40 mm)	80000	siliconica	Kraft	120	Nu	Nu			250	10 500	
C4 (229 x 324 mm + 50 mm)	4929	siliconica	Kraft armat	130	Nu	Nu			100	7 500	
B4 (250 x 353 mm + 30 mm)	105946	siliconica	Kraft	120	Nu	Nu			250	10 500	
	4941	siliconica	Kraft verge	120	Nu	Nu			250	8 750	
B4 (250 x 353 mm + 40 mm)	80001	siliconica	Kraft	120	Nu	Nu			250	10 500	
B4 (250 x 353 mm + 50 mm)	105947	siliconica	Kraft	120	Nu	Nu			250	6 000	
	4950	siliconica	Kraft armat	130	Nu	Nu			100	5 000	
B4 (250 x 353 mm + 100 mm)	105948	siliconica	Kraft	120	Nu	Nu			100	8 000	
B4 (250 x 353 mm + 150 mm)	105949	siliconica	Kraft	120	Nu	Nu			100	8 000	

Plicuri cu bule de aer	Cod	Lipire	Hartie	g/mp	Fond	Fer.	Dim. fer	Poz. Fer	Buc/cut	Buc/	Observatii
A/11 (130 x 175 / 110 x 165 mm)	139842	siliconica	Kraft albit	75	Nu	Nu	Nu		200	6 400	certificare FSC
B/12 (140 x 225 / 120 x 215 mm)	139862	siliconica	Kraft albit	75	Nu	Nu	Nu		200	4 000	certificare FSC
C/13 (170 x 225 / 150 x 215 mm)	139843	siliconica	Kraft albit	75	Nu	Nu	Nu		100	3 000	certificare FSC
CD (200 x 175 / 180 x 165 mm)	139865	siliconica	Kraft albit	75	Nu	Nu	Nu		100	3 000	certificare FSC
D/14 (200 x 275 / 180 x 265 mm)	139863	siliconica	Kraft albit	75	Nu	Nu	Nu		100	2 400	certificare FSC
E/15 (240 x 275 / 220 x 265 mm)	139844	siliconica	Kraft albit	75	Nu	Nu	Nu		100	2 000	certificare FSC
F/16 (240 x 350 / 220 x 340 mm)	139864	siliconica	Kraft albit	75	Nu	Nu	Nu		100	1 600	certificare FSC
G/17 (260 x 350 / 240 x 340 mm)	139845	siliconica	Kraft albit	75	Nu	Nu	Nu		100	1 200	certificare FSC
H/18 (290 x 370 / 270 x 360 mm)	139846	siliconica	Kraft albit	75	Nu	Nu	Nu		100	1 200	certificare FSC
I/19 (320 x 455 / 300 x 445 mm)	139847	siliconica	Kraft albit	75	Nu	Nu	Nu		50	800	certificare FSC
K/20 (370 x 480 / 350 x 470 mm)	139848	siliconica	Kraft albit	75	Nu	Nu	Nu		50	600	certificare FSC

www.gpv.ro

Sediu: Piata 1 Mai nr. 4-5, Cluj Napoca, 400141

Tel.: 00 40 264.416.741, Fax: 00 40 264.406.455, office@gpv.ro

GPV România Procom Serv SRL, Nr. Reg. Com.: J12/1134/1996, RO 8578353

Banca: Unicredit Bank SA, IBAN: RO08BACX000000055279001;

Banca: ING Bank, IBAN: RO62INGB0003002173300716; capital social: 3.549.227,58 lei



The mark of responsible forestry

OFERTA PLICURI GPV ROMANIA

A/11 (130 x 175 / 110 x 165 mm)	138842	siliconica	Kraft maro	75	Nu	Nu	Nu		200	6 400	certificare FSC
B/12 (140 x 225 / 120 x 215 mm)	138862	siliconica	Kraft maro	75	Nu	Nu	Nu		200	4 000	certificare FSC
C/13 (170 x 225 / 150 x 215 mm)	138843	siliconica	Kraft maro	75	Nu	Nu	Nu		100	3 000	certificare FSC
CD (200 x 175 / 180 x 165 mm)	138865	siliconica	Kraft maro	75	Nu	Nu	Nu		100	3 000	certificare FSC
D/14 (200 x 275 / 180 x 265 mm)	138863	siliconica	Kraft maro	75	Nu	Nu	Nu		100	2 400	certificare FSC
E/15 (240 x 275 / 220 x 265 mm)	138844	siliconica	Kraft maro	75	Nu	Nu	Nu		100	2 000	certificare FSC
F/16 (240 x 350 / 220 x 340 mm)	138864	siliconica	Kraft maro	75	Nu	Nu	Nu		100	1 600	certificare FSC
G/17 (260 x 350 / 240 x 340 mm)	138845	siliconica	Kraft maro	75	Nu	Nu	Nu		100	1 200	certificare FSC
H/18 (290 x 370 / 270 x 360 mm)	138846	siliconica	Kraft maro	75	Nu	Nu	Nu		100	1 200	certificare FSC
I/19 (320 x 455 / 300 x 445 mm)	138847	siliconica	Kraft maro	75	Nu	Nu	Nu		50	800	certificare FSC
K/20 (370 x 480 / 350 x 470 mm)	138848	siliconica	Kraft maro	75	Nu	Nu	Nu		50	600	certificare FSC

Plicuri pentru curierat	Cod	Lipire	Suport	g/mp	Fond	Fer.	Dim. fer	Poz. Fer	Buc/cut	Buc/	Observatii
C6 (165 X 121 / 175 X 131 mm)	105020	siliconica	Plastic		Nu	Nu			1000	176 000	
DL (230 X 121 / 240 X 131 mm)	105021	siliconica	Plastic		Nu	Nu			1000	132 000	
C5 (225 x 165 / 235 x 175 mm)	104022	siliconica	Plastic		Nu	Nu			1000	99 000	
C4 (320 x 235 / 330 x 245 mm)	105023	siliconica	Plastic		Nu	Nu			500	52 000	

Plicuri formate speciale	Cod	Lipire	Hartie	g/mp	Fond	Fer.	Dim. fer	Poz. Fer	Buc/cut	Buc/	Observatii
60 x 95 mm	110204	fara lipire	Fedrigoni	160	Nu	Nu			1000	85 000	Clapa V, Pentru carti de vizita
160 x 160 mm	104378	siliconica	Offset	80	Da	Nu			500	52 000	
105 x 176 mm	121401	gumata	Offset	80	Da	Nu			1000	70 000	Clapa V
130 x 190 mm	101390	gumata	Offset	80	Da	Nu			500	60 000	Clapa V

Plicuri colorate	Cod	Lipire	Hartie	g/mp	Fond	Fer.	Dim. fer	Poz. Fer	Buc/cut	Buc/	Observatii
DL (110 x 220 mm) rosu	103534	gumata	Offset	80	Nu	Nu			1000	70 000	Clapa V
DL (110 x 220 mm) galben	101551	gumata	Offset	80	Nu	Nu			1000	70 000	Clapa V
DL (110 x 220 mm) bleumarin	101549	gumata	Offset	80	Nu	Nu			1000	70 000	Clapa V
DL (110 x 220 mm) verde	101556	gumata	Offset	80	Nu	Nu			1000	70 000	Clapa V

Sediu: Piata 1 Mai nr. 4-5, Cluj Napoca, 400141

Tel.: 00 40 264.416.741, Fax: 00 40 264.406.455, office@gpv.ro

GPV România Procom Serv SRL, Nr. Reg. Com.: J12/1134/1996, RO 8578353

Banca: Unicredit Bank SA, IBAN: RO08BACX000000055279001;

Banca: ING Bank, IBAN: RO62INGB0003002173300716; capital social: 3.549.227,58 lei



www.gpv.ro

The mark of responsible forestry